

Labnet Mini Microcentrifuge

Labnet has launched a new line of Mini Microcentrifuges, which will replace the current units. We have made several improvements, which are highlighted below. Operation is made simpler and more convenient with the design of a quick-release rotor system and electronic brake. Once samples are loaded and the lid is closed, the rotor rapidly accelerates to 6,000 rpm. This speed range is ideal for bringing small droplets to the bottom of the tubes or micro-filtrations or as basic separations.

Features	Old Mini Centrifuge	New Mini Centrifuge
Part Number	C1301, C1301-B, C1301-T, C1301-P, C1301-R	C1601-G, C1601-B, C1601-P, C1601-R
Maximum speed	6,000 rpm / 2,000 x g	6,000 rpm / 2,000 x g
Maximum capacity	6 x 1.5/2.0 mL or 2 x 0.2 mL strips	8 x 1.5/2.0 mL or 4 x 0.2 mL strips
Dimensions	5.9 x 5.9 x 4.6 in 15 x 15 x 11.7 cm	6.8 x 5.8 x 4.8 in 17.2 x 14.7 x 12.2 cm
Quick release rotors	N/A	Yes
Dual lid safety switch	N/A	Yes
Deceleration time	<5 seconds	<2 seconds
Electrical	Separate SKUs for 120 & 230V	Universal 100-240V
Compliance marks	CE	CE/TUV/CSA
Warranty	1 year	2 years



Phone toll free: 1-800-492-1110 option 2
 labnetinfo@corning.com • www.labnetinternational.com

Labnet
 Labnet International

LN177000-COMP